

Patient Portal: Webhooks



Last Modified on 03/27/2024 3:59 pm EDT

Patient Portal

Import Message

Event	import_message	Payload	<pre>1{ 2 "accountId": "", 3 "userId": "", 4 "messageId": <long>, 5 "patientId": "" 6}</pre>
Description	Push notification event to partner when an item (such as a CCD) is sent to the patient portal		
Payload Summary	<ul style="list-style-type: none">• accountId: the unique identifier of the account• userId: the unique identifier of the user importing a message to patient portal• messageId: the unique identifier of the import• patientId: the unique identifier of the patient receiving the import		

Patient Portal Item

Event	patient_portal_item	Payload	<pre>1{ 2 "patientId": "", 3 "accountId": "", 4 "timestamp": "<YYYY-MM-ddThh:mm:ss.SSSZ>" 5}</pre>
Description	Push notification event to partner when a new item has appeared in patient portal inbox.		

Payload Summary	<ul style="list-style-type: none"> ● patientId: the unique identifier of the patient receiving the new patient portal item ● accountId: the unique identifier of the account ● timestamp: the date/time of the patient portal item
------------------------	--

Patient Portal Reinvite

Event	patient_portal_reinvite	Payload
Description	Push notification event to a partner that a patient portal invitation was reissued	<pre>1{ 2 "patientId": "", 3 "accountId": "", 4 "timestamp": "<YYYY-MM-ddThh:mm:ss.SSSZ>" 5}</pre>
Payload Summary	<ul style="list-style-type: none"> ● patientId: the unique identifier of the patient receiving the invitation ● accountId: the unique identifier of the account ● timestamp: the date/time of the invitation 	